

Message

From: Rate, Debra [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0C0E1880FB9B493393C0C6FA694EDF5F-DEBRA RATE]
Sent: 12/2/2019 3:35:13 PM
To: Davis, Donna [Davis.Donna@epa.gov]
Subject: RE: Aldicarb one-pager

Yes. I'll see what I can do.

From: Davis, Donna <Davis.Donna@epa.gov>
Sent: Monday, December 02, 2019 10:28 AM
To: Rate, Debra <Rate.Debra@epa.gov>
Subject: RE: Aldicarb one-pager

Debra,
Can you ask them to respond by today?

From: Rate, Debra <Rate.Debra@epa.gov>
Sent: Monday, December 2, 2019 10:14 AM
To: Davis, Donna <Davis.Donna@epa.gov>; Johnson, Marion <Johnson.Marion@epa.gov>
Cc: Goodis, Michael <Goodis.Michael@epa.gov>; Rosenblatt, Daniel <Rosenblatt.Dan@epa.gov>
Subject: RE: Aldicarb one-pager

Hi Donna,

I did update the one-pager. I wanted EFED to confirm that I had captured the ground water and drinking water correctly following their latest refinements. I asked them for comments by Wed. this week.

I will work with Marion today on the current version of the one-pager and update the EFED sections as appropriate when I hear back.

Debra

From: Davis, Donna <Davis.Donna@epa.gov>
Sent: Monday, December 02, 2019 10:03 AM
To: Rate, Debra <Rate.Debra@epa.gov>; Johnson, Marion <Johnson.Marion@epa.gov>
Cc: Goodis, Michael <Goodis.Michael@epa.gov>; Rosenblatt, Daniel <Rosenblatt.Dan@epa.gov>
Subject: Aldicarb one-pager

Debra,
Can you do an updated one-pager with the information you provided? We will need to get that to Rick to see if more is needed. Is that something you all can do today?
Donna